

This course covers the LayerScape LS1021A SoC

OBJECTIVES

- The course clarifies the architecture of the LS1021A, particularly the tuning of the interconnect.
 - Cache coherency protocol is introduced in increasing depth.
 - Only an overview of the ARM Cortex-A7 is provided, since this CPU is entirely covered by a separate course.
 - The boot sequence and the clocking are explained.
 - The course focuses on the hardware implementation of the LS1021A.
 - A long introduction to DDR4 SDRAM operation is done before studying the DDR3L/DDR4 SDRAM controller.
 - An in-depth description of the PCI-Express port is done.
 - The course highlights both hardware and software implementation of gigabit / fast / Ethernet controllers .
 - Communication interfaces are explained including QuiccEngine.
- This course is only delivered on site and therefore its contents can be adapted to specific customer needs from the outlines described hereafter.

A more detailed course description is available on request at training@ac6-training.com

PREREQUISITES AND RELATED COURSES

- Experience of a 32-bit processor or DSP is mandatory.
 - Knowledge of PCI Express bus is recommended.
- This course provides only an overview of the Cortex-A7.
- Our course reference course [RA4 - Cortex-A7 implementation](#) details the operation of this complex ARM CPU.
- Our course reference course [RC1 - NEON-v7 programming](#) explains how to vectorize and implement algorithms to be executed by NEON SIMD engine.
- The following courses could be of interest:
- USB Full Speed High Speed and USB On-The-Go, reference course [IP2 - USB 2.0](#)
 - USB Super Speed, reference course [IP3 - USB 3.0](#)
 - Ethernet and switching, reference course [N1 - Ethernet and switching](#)
 - IEEE1588, reference course [N2 - IEEE1588 - Precise Time Protocol](#)
 - CAN bus, reference course [IA1 - CAN bus](#)
 - Memory cards, reference course [IS2 - eMMC 5.0](#)
 - SATA, reference course [IS3 - Serial ATA III](#)
 - PCI Express, reference course [IC4 - PCI Express 3.0](#)

Environnement du cours

- Cours théorique
 - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
 - Cours dispensé via le système de visioconférence Teams (si à distance)
 - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

Modalités d'évaluation

- Les prérequis indiqués ci-dessus sont évalués avant la formation par l'encadrement technique du stagiaire dans son entreprise, ou par le stagiaire lui-même dans le cas exceptionnel d'un stagiaire individuel.
- Les progrès des stagiaires sont évalués par des quizz proposés en fin des sections pour vérifier que les stagiaires ont assimilé les points présentés
- En fin de formation, une attestation et un certificat attestant que le stagiaire a suivi le cours avec succès.
 - En cas de problème dû à un manque de prérequis de la part du stagiaire, constaté lors de la formation, une formation différente ou complémentaire lui est proposée, en général pour conforter ses prérequis, en accord avec son responsable en entreprise le cas échéant.

Plan

INTRODUCTION TO LS1021A

BLOCK DIAGRAM

- SoC architecture
- Fixed memory map
- Local vs external address spaces, inbound and outbound address decoding

INTERCONNECT

- CCI-400, Cache Coherent switch fabric
- AMBA 4 snoop request transport
- Snoop connectivity and control
- Ensuring data coherency of I/O streams through ACE-Lite ports
- System MMU
- Programming the TrustZone firewall
- OCRAM controller
- QoS tuning

THE CORTEX-A7 CPUs

OVERVIEW OF CORTEX-A7

- Cortex-A7 architecture
- 64-Byte cacheline size, integrated L2 cache
- VFPv4 and SIMDv2
- Instruction pipeline

TRUSTZONE

- TrustZone conceptual view
- Secure to non secure permitted transitions
- L1 and L2 secure state indicators, memory partitioning
- System security, Central Security Unit
- Secure Non Volatile Storage

EXCEPTION MECHANISM

- V7-A exception mechanism
- GICv2

LARGE PHYSICAL ADDRESS EXTENSIONS SPECIFICATION (LPAE)

- Need to introduce support for a second stage of translation as part of the Virtualization Extensions
- New 3-level system
- Hypervisor-level address translation
- Level-1 table descriptor format
- Level-2 table descriptor format
- Attribute and Permission fields in the translation tables
- Complete set of cache allocation hints
- Handling of the ASID in the LPAE

LEVEL ONE SUBSYSTEM

- Cache organization, 2-way instruction cache, 4-way data cache
- Pseudo random replacement algorithm
- Speculative accesses
- Hit Under Miss, Miss under Miss
- Detailing cache maintenance operations

LEVEL TWO SUBSYSTEM

- L2 Cache
- Read allocate mode
- ACE master interface
- By means of sequences involving a multi-core Cortex-A7 and external masters, understanding how snoop requests can be used to maintain coherency of data between caches and memory

INFRASTRUCTURE

RESET, CLOCKING AND INITIALIZATION

- Clock subsystem block diagram
- Reference clock for SerDes protocols
- Voltage configuration selection
- Power-on reset sequence, detailing Reset Configuration Words
- Power-on reset configuration
- Pre-Boot Loader, required format of data structure consumed by PBL
- Boot from parallel flash: NOR and NAND
- Boot from serial flash: eSDHC and QuadSPI
- Watchdog timer

SECURE BOOT AND TRUST ARCHITECTURE

- Objectives of trust architecture
- Internal boot ROM, secure boot sequence
- Security fuse processor
- Code signing
- External tamper detection
- Run time integrity checker
- Key revocation

RUN CONTROL AND POWER MANAGEMENT

- Software-controlled power management states
- Core power management, doze and nap states
- Device power management, sleep and deep-sleep states

- Wake-up sources

SERDES MODULE

- Interfaces from 1.25 to 6 Gbps
- External Signals Description
- SerDes Lane Assignments and Multiplexing
- SerDes clocking

DDR3L/DDR4 SDRAM MEMORY CONTROLLER

- DDR3L and DDR4 Jedec specification
- DDR4 new features: Pseudo Open Drain termination, bank groups
- Calibration mechanism
- Command truth table
- Hardware interface
- Bank activation, read, write and precharge timing diagrams, page mode
- ECC error correction
- Freescale DDR 3/4 controller
- Initial configuration following Power-on-Reset

INTEGRATED FLASH CONTROLLER

- Functional muxing of pins between NAND, NOR, and GPCM
- Normal GPCM FSM
- Flexible timing control
- NOR flash FSM
- Generic ASIC FSM
- NAND flash FSM
- ONFI-2.2 asynchronous interface
- ECC generation/checking
- SLC and MLC Flash devices support with configurable page sizes
- Internal SRAM of 9 KByte

PCI EXPRESS INTERFACE

- 4-lane PCI Express interface
- Modes of operation, Root Complex / Endpoint
- Transaction ordering rules
- Programming inbound and outbound ATMUs
- MSI management
- Configuration, initialization

QUAD SPI

- External signal description
- Interface to one single or two external serial flash devices
- Programmable sequence engine
- AHB buffers, Look Up Table
- Memory mapped read access to connected flash devices
- Flash programming

INTEGRATED CONTROLLERS

- eDMA
- qDMA

SATA3 CONTROLLER

- SATA basics
- Electrical specification

- AHCI command layerStandard ATA master-only emulation
- Command list structure
- Interrupt coalescing
- FIS-based switching

SECURITY ENGINE

- Introduction to DES, 3DES and AES algorithms
- Job descriptor parsing
- Sharing descriptors
- Data movement, FIFOs
- Scatter / gather DMA
- Selecting the authentication / cryptographic algorithm
- Export and Import of cryptographic Blobs
- Public Key Hardware Accelerator (PKHA)
- SNOW 3G Accelerator
- Data Encryption Standard Accelerator (DES)
- Cyclic Redundancy Check Accelerator (CRCA)
- Message Digest Hardware Accelerator (MDHA)
- Elliptic Curve Cryptographic Functions

INPUTS/OUTPUTS

COMMUNICATION INTERFACES

- Ethernet Controllers
 - 802.3 specification fundamentals
 - Address recognition, pattern matching
 - Physical interfaces
 - Layer 2 acceleration accept or reject on address or pattern match
 - Management of VLAN tags and priority, VLAN insertion and deletion
 - Quality of service, managing several transmit and receive queues
 - TCP/IP offload engine, filer programming
 - IEEE1588 compliant time-stamping
 - Interrupt coalescing
- UARTs
- I2C
- SPI
- FlexCAN controllers

ENHANCED SECURE DEVICE HOST CONTROLLER

- Introduction to MMC and SD card
- Storing and executing commands targeting the external card
- Multi-block transfers
- Read transfer sequence
- Write transfer sequence

USB CONTROLLERS

- USB 2.0 controller
- USB 3.0 controller

MULTIMEDIA INTERFACES

- Display interface unit
- SSI interfaces
- Asynchronous Sample Rate Converter
- SPDIF receiver / transmitter

FLEXTIMER MODULE

- 16-bit timer modes, up-counter, down-counter,
- Input capture
- Output compare
- PWM

QUICC ENGINE

OVERVIEW OF QUICC ENGINE

- Communication between Host ARM CPU and QE RISC CPU, utilization of Command Register
- Mapping of integrated resources

INTEGRATED INTERRUPT CONTROLLER

- Priority management, understanding the priority table
- Managing the priority within priority groups and between priority groups
- Steering the interrupt source to either Low priority or High priority input of the platform PIC

SYSTEM INTERFACE AND CONNECTION TO EXTERNAL COMMUNICATION PORTS

- Serial DMA
- NMSI vs TDM
- Enabling connections to TSA or NMSI
- CMX registers

BUFFER MANAGEMENT

- Utilization of Buffer Descriptors
- Chaining descriptors into rings
- Interrupt management

UNIFIED COMMUNICATION CONTROLLERS

- Handling UCC interrupts
- Initialization sequence
- Defining Tx- and Rx-FIFO thresholds

UCC HDLC CONTROLLER

- HDLC frame description
- Flow control
- Host commands

UCC TRANSPARENT CONTROLLER

- Transparent data encapsulation, frame sync and frame CRC
- Flow control
- Host commands

SERIAL INTERFACE

- Connecting TDM lines
- Parameterizing the timings related to Rx/Tx clock, sync and data signals

MULTI-CHANNEL CONTROLLER ON UCC - UMCC

- Clarifying the various tables that must be implemented in MURAM
- Connecting time-slots to logical channels through Rx/Tx routing tables
- Implementing Rx/Tx channel buffers
- Interrupt management, benefits of interrupt queues
- Modes of operation, transparent, HDLC

Renseignements pratiques

Renseignements : 5 jours