

MV1 - MARVELL MV6446X implementation

This course covers Marvell Discovery III devices

Objectives

- The course describes the MV6446X internal data paths.
- The course explains how the host PowerPC and a CPU connected to PCI-X can synchronize to each other through the message unit.
- A long introduction to DDR SDRAM is done prior to describe the DDR SDRAM controller operation.
- The course focuses on the hardware implementation of the DDR SDRAM.
- The training explains how to implement chained DMA transfers, by using either IDMA channels or XOR engines.
- The course highlights the possible optimizations that can be implemented to boost the performance of the Ethernet controller.
- This course has been delivered several times to companies developing defence and avionics systems.

A more detailed course description is available on request at training@ac6-training.com

Prerequisites

- Knowledge of PowerPC 60X / MPX bus. See our courses on NXP and IBM Microelectronics PowerPCs.

Related courses

- Ethernet and switching, reference cours [N1 - Ethernet and switching](#)
- PCI, reference cours [IC1 - PCI 3.0](#)
- PCI-X, reference cours [IC3 - PCI-X 2.0](#)

Environnement du cours

- Cours théorique
 - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
 - Cours dispensé via le système de visioconférence Teams (si à distance)
 - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

Modalités d'évaluation

- Les prérequis indiqués ci-dessus sont évalués avant la formation par l'encadrement technique du stagiaire dans son entreprise, ou par le stagiaire lui-même dans le cas exceptionnel d'un stagiaire individuel.
- Les progrès des stagiaires sont évalués par des quizz proposés en fin des sections pour vérifier que les stagiaires ont assimilé les points présentés
- En fin de formation, une attestation et un certificat attestant que le stagiaire a suivi le cours avec succès.
 - En cas de problème dû à un manque de prérequis de la part du stagiaire, constaté lors de la formation, une formation différente ou complémentaire lui est proposée, en général pour conforter ses prérequis, en accord avec son responsable en entreprise le cas échéant.

Plan

OVERVIEW

- 5-bus architecture, organization of a board based on MV6446X
- Frequency domains, fast path between CPU and SRAM / SDRAM
- Data integrity checking
- Internal crossbar
- Headers retarget

CPU INTERFACE

- CPU address space decoding
- CPU-to-PCI address remapping
- Arbitration, multi-processor operation
- Cache coherency
- Transaction ordering
- Hardware implementation

INTEGRATED SRAM

- Functional description, SRAM access arbitration
- Write-Through vs CopyBack coherency
- ECC protection

DDR INTERFACE

- Introduction to DDR SDRAM from Jedec specification
- Initialization sequence
- Page management
- Read and write transactions
- Transaction ordering
- Cache coherency
- ECC and read-modify-write transactions
- Hardware implementation, SSTL technology

DEVICE CONTROLLER

- Functional description, transaction queue, read and write data buffers
- Connecting 8/16/32 bit devices
- Timing parameters
- External acknowledgement
- Pack / unpack and burst support

PCI INTERFACE

- PCI bus arbitration
- Master operation in PCI and PCI-X mode
- Target operation in PCI and PCI-X mode
- PCI-to-PCI configuration transactions
- Address decoding
- Cache coherency
- Messaging unit

GENERAL PURPOSE INPUT/ OUTPUT PINS

- Pin direction and polarity definition
- Interrupt request inputs

- Multi Purpose Pin multiplexing

INTERRUPT CONTROLLERS AND TIMERS

- Watchdog timer
- Timers / counters
- Interrupt controller functional description

TWSI CONTROLLER AND RESET

- Master and slave operation, 7- or 10-bit addressing
- Master write sequence, master read sequence
- Slave write sequence, slave read sequence
- Reset pins and configuration
- Serial ROM initialisation
- Requirement for an external Central Resource CPLD

IDMA CHANNELS

- IDMA address decoding
- Demand mode
- Normal mode vs chained mode
- Channel activation

XOR ENGINES

- State machine : Active, Inactive and Paused states
- XOR, CRC and DMA operation modes, format of transfer descriptors
- Memory Initialization operation mode
- ECC error cleanup operation mode
- Address decode windows
- Address override capability
- Cache coherency

MULTI-PROTOCOL SERIAL CONTROLLERS

- Address decoding
- Pinout, connection to MPP logic
- Baud Rate Generator
- MPSC clocking
- SDMA operation
- Transmit descriptor format, ring organization
- Receive descriptor format, ring organization
- HDLC mode, UART mode, Transparent mode

GIGABIT ETHERNET CONTROLLERS

- Interface to the PHY
- Dedicated DMA
- Transmit weighted round-robin arbitration
- Backpressure mode
- Transmit and receive sequences
- Management interface
- MIB
- Synchronous FIFO interface
- DMA operation

Renseignements pratiques

Durée : 4 jours

Prix : 1950 € HT