

T1 - Tsi107 PCI bridge

This course covers the Tsi107 PowerPC host bridge

Objectives

- The course details Tsi107 internal datapaths.
- The I2O synchronization mechanism is studied to clarify how multiple processors can synchronize to each other.
- SDRAM timing parameters initialization is described.
- The training explains how to use the DMA controller to transfer data from SDRAM to PCI space.
- This course has been delivered several times to companies developing defense equipments.

A more detailed course description is available on request at training@ac6-training.com

Prerequisites & related courses

- Knowledge of PCI is recommended, see our course reference [IC1 - PCI 3.0](#) course
- ACSYS offers a large set of trainings on NXP and IBM Microelectronics PowerPC host CPUs.

Course Environment

- Theoretical course
 - PDF course material (in English) supplemented by a printed version for face-to-face courses.
 - Online courses are dispensed using the Teams video-conferencing system.
 - The trainer answers trainees' questions during the training and provide technical and pedagogical assistance.
- At the start of each session the trainer will interact with the trainees to ensure the course fits their expectations and correct if needed

Target Audience

- Any embedded systems engineer or technician with the above prerequisites.

Evaluation modalities

- The prerequisites indicated above are assessed before the training by the technical supervision of the trainee in his company, or by the trainee himself in the exceptional case of an individual trainee.
- Trainee progress is assessed by quizzes offered at the end of various sections to verify that the trainees have assimilated the points presented
- At the end of the training, each trainee receives a certificate attesting that they have successfully completed the course.
 - In the event of a problem, discovered during the course, due to a lack of prerequisites by the trainee a different or additional training is offered to them, generally to reinforce their prerequisites, in agreement with their company manager if applicable.

Plan

OVERVIEW

- Clock generation, DLL benefits
- Memory mapping
- Explanation of the translation mechanism to access PCI MEM space
- Explanation of the translation mechanism used when PCI masters access the local SDRAM

THE SDRAM CONTROLLER

- SDRAM basics
- Mode register initialization
- Command truth table
- Tsi107 memory controller introduction
- Address multiplexing
- The Flash EPROM controller
- X-port advantages and restrictions

THE PCI INTERFACE

- Commands supported when the Tsi107 is PCI master
- Commands supported when the Tsi107 is PCI target
- Configuration space access through CONFIG_ADDRESS and CONFIG_DATA registers

THE 60X INTERFACE

- 7XX or 74XX PowerPC connection
- 60X slave connection
- Error management

THE INTERRUPT CONTROLLER

- EPIC operation modes
- Interrupt request time-multiplexing
- Interrupt nesting requirements
- Integrated timers
- Doorbell registers
- I2O specification basics, synchronization by messages

THE DMA CONTROLLER

- Direct mode vs chained buffer mode
- Programming model
- Transfer descriptor initialization when the scatter / gather mode is selected

THE I2C CONTROLLER

- I2C basics
- Interrupt driven communication sequence

RESET

- Configuration pins sampling upon reset
- Initialization sequence

Renseignements pratiques

Duration : 2 days

Cost : 1250 € HT