



RA1 - Cortex-A8 implementation

This course covers the Cortex-A8 high-end ARM core

Objectives

- This course is split into 3 important parts:
 - Cortex-A8 architecture
 - Cortex-A8 software implementation and debug
 - Cortex-A8 hardware implementation.
- MMU operation under Linux is described.
- Interaction between level 1 caches, level 2 cache and main memory is studied through sequences.
- The exception mechanism is detailed, indicating how virtualization enables the support of several operating systems.
- The course also details the hardware implementation and provides some guidelines to design a SoC based on Cortex-A8.
- An overview of the Coresight specification is provided prior to describing the debug related units.

A more detailed course description is available on request at training@ac6-training.com

Prerequisites and related courses

- Knowledge of ARM7/9 or having attended our course ARM fundamentals.
- This course does not include chapters on low level programming.
 - ACSYS offers a large set of tutorials to become familiar with RVDS, assembly level programming, compiler hints and tips.
- More than 12 correct answers to our Cortex-A prerequisites questionnaire.
- Related courses:
 - Programming with RVDS IDE, reference [RV0 - Programming with RVDS IDE](#) course
 - VFP programming, reference [RC0 - VFP programming](#) course
 - NEON programming, reference [RC1 - NEON-v7 programming](#) course

Course Environment

- Theoretical course
 - PDF course material (in English) supplemented by a printed version for face-to-face courses.
 - Online courses are dispensed using the Teams video-conferencing system.
 - The trainer answers trainees' questions during the training and provide technical and pedagogical assistance.
- At the start of each session the trainer will interact with the trainees to ensure the course fits their expectations and correct if needed

Target Audience

- Any embedded systems engineer or technician with the above prerequisites.

Evaluation modalities

- The prerequisites indicated above are assessed before the training by the technical supervision of the trainee in his company, or by the trainee himself in the exceptional case of an individual trainee.
- Trainee progress is assessed by quizzes offered at the end of various sections to verify that the trainees have assimilated the points presented
- At the end of the training, each trainee receives a certificate attesting that they have successfully completed the course.

- In the event of a problem, discovered during the course, due to a lack of prerequisites by the trainee a different or additional training is offered to them, generally to reinforce their prerequisites, in agreement with their company manager if applicable.

Plan

First day

ARM BASICS

- States and modes
- Exception mechanism
- Instruction sets
- Purpose of CP15

TRUSTZONE

- TrustZone conceptual view
- Secure to non secure permitted transitions
- L1 and L2 secure state indicators, memory partitioning
- Boot sequence

INTRODUCTION TO CORTEX-A8

- Block diagram
- Highlighting the instruction path and the data path
- Supported instruction sets
- Exceptions
- Configurable options

INSTRUCTION PIPELINE

- Superscalar pipeline operation
- Studying how instructions are processed step by step
- Branch prediction mechanism, BTB and GHB usage
- Return stack
- Instruction Memory Barrier

MEMORY MANAGEMENT UNIT

- Page sizes
- Address translation
- Page access permission
- Page attributes
- Software vs hardware tablewalk
- TLB lockdown
- Abort exception
- MMU maintenance operations

Second day

CORTEX-A8 LEVEL 1 AND LEVEL 2 CACHES

- Cache basics
- L1 cache organization
- Hardware support for virtual aliasing conditions
- Write buffer

- L1 caches software read for debug purposes
- CP15 related registers
- L2 Cache organization
- Physical indexing, physical tagging
- L2 cache transfer policy
- Write buffer
- L2 Preload Engine [PLE], programming the channels
- L2 cache software read for debug purposes
- PMU related events
- CP15 related registers

AXI PROTOCOL

- PL301 AXI interconnect
- Separate address/control and data phases
- Support for unaligned data transfers
- Transaction ordering
- Read and write burst timing diagrams
- Cortex-A8 external memory interface, ID encoding

HARDWARE IMPLEMENTATION

- Clock domains
- Reset domains
- Power control, dynamic power management
- Wait For Interrupt architecture
- AXI master interface attributes
- Internal exclusive monitor, clarifying ldrex / strex instructions

Third day

PERFORMANCE MONITOR

- Event counting
- Selecting the event to be counted for the 4 counters
- Debugging a multi-core system with the assistance of the PMU

VECTORED INTERRUPT CONTROLLER

- Cortex-A8 exception management
- The 3 vector table base registers
- Interrupt virtualization
- Connection of an external interrupt controller
- Enabling interrupt nesting
- ARM PL192 VIC
- Sequence required to clear the interrupt source
- Cascading two PL192s

LOW POWER MODES

- Voltage domains
- Run mode, standby mode, dormant mode
- Studying the sequence required to enter and exit dormant mode
- Communication to the power management controller

CORESIGHT DEBUG UNITS

- Invasive debug, non-invasive debug
- APBv3 debug interface

- Debug facilities offered by Cortex-A8
- Process related breakpoint and watchpoint
- Program counter sampling
- Event catching
- Debug Communication Channel
- ETM interface, connection to funnel
- Cross-Trigger Interface, debugging a multi-core SoC

Renseignements pratiques

Duration : 3 days

Cost : 2080 € HT