



## FCQ11 - P102X QorIQ implementation

This course covers NXP QorIQ P1020/P1011, P1021/P1012, P1022/P1013, P1023/P1017, P1024/P1015, P1025/P1016

### Objectives

- The course clarifies the architecture of the P102X, particularly the operation of the coherency module that interconnects the e500s to memory and high-speed interfaces.
- Cache coherency protocol is introduced in increasing depth.
- The e500 core is viewed in detail, especially the SPE unit that enable vector processing.
- The boot sequence and the clocking are explained.
- The course focuses on the hardware implementation of the P102X.
- A long introduction to DDR SDRAM operation is done before studying the DDR2/3 SDRAM controller.
- An in-depth description of the PCI-Express port is done.
- The course highlights both hardware and software implementation of gigabit / fast / Ethernet controllers.
- Communication interfaces are explained according to the exact reference of the SoC: either TDM or QuiccEngine or DPAA.
- AC6 has developed an optimized SPE based FFT coded in assembler language.
- Performance for 1024 complex floating point single precision samples is:
  - 91\_386 core clock cycles without reverse ordering, 94\_124 with reverse ordering
- Performance for 4096 complex floating point single precision samples is:
  - 470\_778 core clock cycles without reverse ordering, 511\_227 with reverse ordering
- For any information contact [training@ac6-training.com](mailto:training@ac6-training.com)

A more detailed course description is available on request at [training@ac6-training.com](mailto:training@ac6-training.com)

### Prerequisites and related courses

- Experience of a 32-bit processor or DSP is mandatory.
- The following courses could be of interest:
  - Ethernet and switching, reference cours [N1 - Ethernet and switching](#)
  - IEEE1588, reference cours [N2 - IEEE1588 - Precise Time Protocol](#)
  - PCI express gen2, reference cours [IC4 - PCI Express 3.0](#)
  - USB Full Speed High Speed and USB On-The-Go, reference cours [IP2 - USB 2.0](#)
  - SD / MMC, reference cours [IS2 - eMMC 5.0](#)

### Environnement du cours

- Cours théorique
  - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
  - Cours dispensé via le système de visioconférence Teams (si à distance)
  - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

## Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

## Modalités d'évaluation

- Les prérequis indiqués ci-dessus sont évalués avant la formation par l'encadrement technique du stagiaire dans son entreprise, ou par le stagiaire lui-même dans le cas exceptionnel d'un stagiaire individuel.
- Les progrès des stagiaires sont évalués par des quizz proposés en fin des sections pour vérifier que les stagiaires ont assimilé les points présentés
- En fin de formation, une attestation et un certificat attestant que le stagiaire a suivi le cours avec succès.
  - En cas de problème dû à un manque de prérequis de la part du stagiaire, constaté lors de la formation, une formation différente ou complémentaire lui est proposée, en général pour conforter ses prérequis, en accord avec son responsable en entreprise le cas échéant.

## Plan

### INTRODUCTION TO P102X

## SOC ARCHITECTURE

- Internal data flows, OCEAN switch fabric, packet reordering
- Implementation examples
- Address map, ATMU, OCEAN configuration
- Local vs external address spaces, inbound and outbound address decoding

### e500 CORES

## THE INSTRUCTION PIPELINE

- Dual-issue superscalar operation
- Execution units
- Dynamic branch prediction

## DATA AND INSTRUCTION PATHS

- The Core Complex Bus
- Store miss merging and store gathering
- Memory access ordering
- Lock acquisition and import barriers

## THE MEMORY MANAGEMENT UNIT

- The first level MMU and the second level MMU, consistency between L1 and L2 TLBs
- TLB software reload
- Process protection
- 36-bit real addressing

## CACHES

- The L1 caches
- Software cache coherency
- Level 2 cache

- Allocation of data transferred by external masters into the cache: stashing
- e500 coherency module
- Snooping mechanism
- Stashing mechanism
- L2 cache locking

## PROGRAMMING

- Differences between the new Book E architecture and the classic PowerPC architecture
- Floating Point units, Double-Precision FP
- Signal Processing APU (SPE)

## EXCEPTIONS

- Book E exception handling
- Syndrome registers
- Core timers

## DEBUGGING

- Performance monitoring
- JTAG emulation
- Watchpoint logic

## INFRASTRUCTURE

## RESET, CLOCKING AND INITIALIZATION

- Platform clock
- Voltage configuration selection
- Power-on reset sequence, using the I2C interface to access serial ROM
- Power management
- eSDHC boot
- eSPI boot ROM

## e500 COHERENCY MODULE

- I/O arbiter
- CCB arbiter
- CCB interface

## DDR3 SDRAM MEMORY CONTROLLER

- On-Die termination
- Calibration mechanism
- Mode registers initialization, bank selection and precharge
- Command truth table
- Hardware interface
- Bank activation, read, write and precharge timing diagrams, page mode
- ECC error correction
- Initialization routine

## ENHANCED LOCAL BUS CONTROLLER

- Multiplexed or non-multiplexed address and data buses
- Dynamic bus sizing
- GPCM, UPMs states machines

- NAND flash controller

## PCI EXPRESS INTERFACE

- 4-lane PCI Express interface
- Modes of operation, Root Complex / Endpoint
- Transaction ordering rules
- Programming inbound and outbound ATMUs

## PROGRAMMABLE INTERRUPT CONTROLLER

- PIC in multiple-processor implementation
- Understanding interrupt masking
- Interprocessor interrupts
- Per-CPU register usage, message registers
- Nesting implementation

## INTEGRATED DMA CONTROLLER

- Support for cascading descriptor chains
- Scatter / gathering
- Selectable hardware enforced coherency

## PERFORMANCE MONITOR AND DEBUG FEATURES

- Threshold events
- Chaining, triggering
- Watchpoint facility
- Trace buffer

## INPUTS/OUTPUTS

## THE ETHERNET CONTROLLERS

- Address recognition, pattern matching
- Buffer descriptors management
- Physical interfaces
- Buffer descriptor management
- 256-entry hash table for unicast and multicast
- Management of VLAN tags and priority, VLAN insertion and deletion
- Quality of service, managing several transmit and receive queues
- TCP/IP offload engine, filter programming
- IEEE1588 compliant time-stamping

## ENHANCED SECURE DEVICE HOST CONTROLLER

- Storing and executing commands targeting the external card
- Multi-block transfers
- Moving data by using the dedicated DMA controller
- Dividing large data transfers

## USB CONTROLLER

- EHCI implementation
- Periodic Frame List
- ULPI interfaces to the transceiver
- OTG support

- Endpoints configuration

## SECURITY ENGINE

- Crypto channels
- Sequence to subcontract a crypto job to SEC
- Link tables
- Managing interrupts

## LOW SPEED PERIPHERALS

- Description of the NS16552 compliant Uarts
- I2C controller
- Enhanced SPI controller

## TDM INTERFACE (P1022/P1013 AND P1024/P1015)

- Serial interface
- Network mode of operation with up to 128 time-slots
- DMA configuration
- End-of-frame interrupt
- Configuring the TDM for I2S Operation

## DISPLAY INTERFACE UNIT (P1022/P1013)

- Display interfaces
- Display color depth
- Pixel structure, alpha-blending
- Utilization of area descriptor
- Moving images through the dedicated DMA channel

## QUICC ENGINE (P1021/P1012 AND P1025/P1016)

## OVERVIEW OF QUICC ENGINE

- Integrated RISC CPU
- Communication between Host CPU and QE RISC CPU

## INTEGRATED INTERRUPT CONTROLLER

- Priority management
- Steering the interrupt source to either Low priority or High priority input of the platform PIC

## SYSTEM INTERFACE AND CONNECTION TO EXTERNAL COMMUNICATION PORTS

- Serial DMA
- QUICC engine external requests
- NMSI vs TDM
- Enabling connections to TSA or NMSI

## BUFFER MANAGEMENT

- Utilization of Buffer Descriptors
- Chaining descriptors into rings
- Parameter RAM independent of protocol

## UNIFIED COMMUNICATION CONTROLLERS

- UCC as slow communications controllers, UART mode
- UCC for fast protocols, virtual FIFOs

## UCC HDLC CONTROLLER

- Flow control
- Setting global parameters
- Describing the parameter RAM

## UCC TRANSPARENT CONTROLLER

- Transparent data encapsulation, frame sync and frame CRC
- Describing the parameter RAM

## SERIAL INTERFACE

- Connecting TDM lines
- Parameterizing the timings related to Rx/Tx clock, sync and data signals
- Connecting the TDM line to UCC using Rx/Tx routing tables

## MULTI-CHANNEL CONTROLLER ON UCC - UMCC

- Comparison with MCC and QMC
- Connecting time-slots to logical channels through Rx/Tx routing tables
- Implementing Rx/Tx channel buffers
- Interrupt management
- Channel-specific HDLC parameters
- Per channel exception management
- UMCC host commands

## DATAPATH PROCESSING SUBSYSTEM (P1023/P1017)

## DPAQ OVERVIEW

- Definitions: buffer, buffer pool, frame, frame queue, work queue, channel
- Data formats
- Frame formats
- Packet walk through

## QUEUE MANAGER

- Objectives if this accelerator
- Frame description
- Structure of frame queues
- Frame queue state machine
- Multiway resource arbiter
- Work queues and channels
- Enqueue and dequeue portals
- Class and intra-class scheduling rules
- Dequeue dispatcher operation
- Message ring
- Stash transaction flow control and scheduling
- Congestion avoidance
- CoreNet initiator scheduling and priority

## BUFFER MANAGER

- Objectives if this accelerator
- Software portals
- Direct connect portals
- Software interface, Command register, Management Response registers
- Buffer Pool State Change Notifications
- Buffer pool size programming
- Performance Monitor

## FRAME MANAGER

- Objectives if this accelerator, parsing, classifying and distributing in-line/off-line packet
- FMAN submodules
- Rx BMI features
- Tx BMI features
- Offline parsing, host command features
- Frame processing manager
- FMan controller
- Parser
- Key generator
- Policer

## DATA PATH THREE-SPEED ETHERNET CONTROLLERS

- MAC address recognition
- 256-entry hash table for unicast and multicast
- Suspending the transmitter, handling pause packets
- RMON statistic counters, carry registers
- Client IEEE1588 timers

## SECURITY ENGINE

- Job management using QMan interface
- Input / output rings
- Job descriptor parsing
- Sharing descriptors
- Selecting the authentication / cryptographic algorithm
- Public Key Hardware Accelerator (PKHA)
- SNOW 3G Accelerator
- Example, implementing IPsec

## Renseignements pratiques

Durée : 6 jours  
Prix : 3250 € HT