

STR8 - STM32MP15 Implementation

This course describes the STM32MP15x SoC

Objectifs

- This course details the hardware implementation of the STM32MP15x SoC
- The course focuses on the boot sequence, the clocking and the power management strategies
- The course explains all parameters that affect the performance of the system in order to easily perform the final tuning
- An overview of the Cortex-A7MP core helps to understand issues caused by MMU, cache and snooping
- An overview of the Cortex-M4F with MPU is included to understand the microcontroller side of the STM32MP15 implementation
- To become more familiar with the synchronization features of the STM32MP15x implementation labs are proposed
- Note that this course has been designed from the architecture of STM32MP15x-series devices, the STM32MP157C
- The peripherals overview presented in this course can be detailed upon request (cours [STR9 - STM32 Peripherals](#))

Prerequisites and Related Courses

- Familiarity with C concepts and programming targeting the embedded world
- Basic knowledge of embedded processors
- The following courses could be of interest:
 - cours [RA4 - Cortex-A7 implementation](#)
 - cours [RM3 - Cortex-M4 / Cortex-M4F implementation](#)
 - cours [STR9 - STM32 Peripherals](#)
 - cours [OS3 - FreeRTOS Programming](#)
 - cours [D1S - Embedded Linux with Ac6 System Workbench](#)
 - cours [D1Y - Linux embarqué avec Yocto](#)

Course environment

- Convenient course material
- Example code, labs and solutions

Environnement du cours

- Cours théorique
 - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
 - Cours dispensé via le système de visioconférence Teams (si à distance)
 - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Activités pratiques
 - Les activités pratiques représentent de 40% à 50% de la durée du cours
 - Elles permettent de valider ou compléter les connaissances acquises pendant le cours théorique.
 - Exemples de code, exercices et solutions
 - Pour les formations à distance:
 - ▶ Un PC Linux en ligne par stagiaire pour les activités pratiques, avec tous les logiciels nécessaires préinstallés.
 - ▶ Le formateur a accès aux PC en ligne des stagiaires pour l'assistance technique et pédagogique
 - ▶ Certains travaux pratiques peuvent être réalisés entre les sessions et sont vérifiés par le formateur lors de la session suivante.

- Pour les formations en présentiel:
 - ▶ Un PC (Linux ou Windows) pour les activités pratiques avec, si approprié, une carte cible embarquée.
 - ▶ Un PC par binôme de stagiaires s'il y a plus de 6 stagiaires.
- Pour les formations sur site:
 - ▶ Un manuel d'installation est fourni pour permettre de préinstaller les logiciels nécessaires.
 - ▶ Le formateur vient avec les cartes cible nécessaires (et les remporte à la fin de la formation).
- Une machine virtuelle préconfigurée téléchargeable pour refaire les activités pratiques après le cours
- Au début de chaque session (demi-journée en présentiel) une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

Modalités d'évaluation

- Les prérequis indiqués ci-dessus sont évalués avant la formation par l'encadrement technique du stagiaire dans son entreprise, ou par le stagiaire lui-même dans le cas exceptionnel d'un stagiaire individuel.
- Les progrès des stagiaires sont évalués de deux façons différentes, suivant le cours:
 - Pour les cours se prêtant à des exercices pratiques, les résultats des exercices sont vérifiés par le formateur, qui aide si nécessaire les stagiaires à les réaliser en apportant des précisions supplémentaires.
 - Des quizz sont proposés en fin des sections ne comportant pas d'exercices pratiques pour vérifier que les stagiaires ont assimilé les points présentés
- En fin de formation, chaque stagiaire reçoit une attestation et un certificat attestant qu'il a suivi le cours avec succès.
 - En cas de problème dû à un manque de prérequis de la part du stagiaire, constaté lors de la formation, une formation différente ou complémentaire lui est proposée, en général pour conforter ses prérequis, en accord avec son responsable en entreprise le cas échéant.

Plan

First Day

Cortex M4 Architecture Overview

- V7-M Architecture Overview
- Core Architecture
 - Harvard Architecture, I-Code, D-Code and System Bus
 - Write Buffer
 - Registers (Two stacks pointers)
 - States
 - Different Running-modes and Privileged Levels
 - System Control Block
 - SysTick Timer
 - MPU Overview
- Programming
 - Alignment and Endianness
 - CMSIS Library
- Exception/ Interrupt Mechanism Overview
 - Vector Table
 - Interrupt entry and return Overview
 - Tail-Chaining
 - Pre-emption (Nesting)
 - NVIC Integrated Interrupt Controller
 - Exception Priority Management
 - Fault escalation
- Debug Interface

Exercise : Becoming familiar with the IDE and Clarifying the boot sequence

Exercise : Cortex-M4 Mode Privilege

Exercise : Cortex-M4 Exception Management

Exercise : Cortex-M4 MPU

The ARM Cortex-A7MP Architecture Overview

- V7-A Architecture Overview
- Cortex A7 Overview
 - Cortex-A7 Architecture
 - Hardware Cache Coherency
 - Cortex-A7 Main Features
- System Features
 - Multi-processing
 - Cache Maintenance
 - Cache Coherency Hardware
 - Interrupt Distribution
 - Power saving Modes
 - Memory System Hierarchy
 - Software Storage and Upload
- Memory Management Unit
- Generic Interrupt Controller
- Multicore operation
- TrustZone
- Virtualization Extension

Second Day

STM32MP15 Architecture Overview

- ARM Core Based Architecture
- Description of STM32MP15 SoC architecture
- Clarifying the internal data and instruction paths:
 - Bus Architecture
 - NIC-400 Network Interconnect AXI-based
 - Multi-Layer AHB Interconnect
- Memory Organization
 - Embedded Memories: (ROM, SYSRAM, MCU SRAM, Retention RAM)
 - External Memories: (DDR3/LPDDR2, FMC, QUADSPI, SDMMCx)
- SoC mapping
- Boot Configuration

Boot, Security and One time programmable (OTP) control (BSEC)

- Introduction
- BSE Block diagram
- Interface to OTP
- OTP security Mode
- OTP operations
 - OTP read
 - OTP programming
 - OTP permanent write lock
- Scratch registers and Transport key (TK) access
- OTP Mapping

Reset, Power and Clocking

- Power Control
 - Power control overview

- Power supplies
- Power supply supervision
- Power management
- Low-Power Modes
- Power control interrupts
- Power Control and TrustZone capability
- RCC Reset and Clock
 - RCC overview
 - RCC Block diagram
 - RCC Reset
 - RCC Clock
 - RCC interrupts
 - Handling dynamic Clock switching
 - PLL Programming
 - Configuring the sub-system clock
 - Clock calibrations using timers

Exercise : Configure the system to measure the current consumption in different low-power modes (Cortex-M4)

Exercise : RTC wakeup timer event / interrupt (Cortex-M4)

Exercise : Configure the system Clock (SYSCLK) and modify the clock settings in Run Mode (Cortex-M4)

Synchronizations mechanisms

- Hardware Semaphore (HSEM)
 - HSEM Overview
 - Lock procedures
 - Clear Procedures
 - Interrupts
- Inter-Processor Communication Controller (IPCC)
 - IPCC Overview
 - Simplex Channel and Half-Duplex channel modes
 - IPCC interrupts

Third Day

Hardware Implementation

- Power pins
- Pinout
 - Pin Muxing, alternate functions
- GPIO Module
 - Configuring a GPIO
 - Speed selection
 - Locking mechanism
 - Analog function
 - Integrated pull-up / pull-down
 - I/O pin multiplexer and mapping
 - TrustZone security
- System Configuration Controller
 - I/O compensation cell
 - Ethernet Clock source
- Interrupts
 - Nested Vectored Interrupt Controllers (NVIC)
 - Global interrupt Controller (GIC)
 - Extended Interrupt and event controller (EXTI)

Exercise : How to configure the external interrupt lines

Internal Interconnect

- Bus Matrix

- DMA

Exercise : DMA FIFO mode

Security and Integrity

- Extended TrustZone Protection Controller
 - Extended Trustzone architecture and ETZPC
 - STM32P15x Security Architecture
 - STM32P15x MCU resource isolation
- True Random number generator (RNG)
- Hash processor (HASH)
- Cryptographic Processor (CRYP)

Exercise : CRC User Defined Polynomial

Exercise : How to use ASH peripheral to hash data with SHA-1 and MD5 algorithms

Exercise : How to use the Cryptographic Processor

Memory Features

- DDR3/LPDDR2/LPDDR3 Controller (DDRCTRL)
 - DDRCTRL Architecture overview
 - Transaction Service Control and QoS
 - Power saving
 - Address mapper
 - DRAM timing parameters
 - SDRAM initialization sequence
 - Refresh controls
 - DDRCTRL Configuration
 - TrustZone Address Space Controller for DDR
- DDR physical Interface Control (DDRPHYC)
- DDR performance monitor (DDRPERFM)
- Master Direct Memory Access (MDMA) Controller
- Flexible Memory Controller (FMC)
- Quad-SPI interface
- Delay Block

Exercise : Configuring the FSMC controller to access the SRAM memory

Exercise : QSPI Read Write IT

Fourth Day

Asymmetric Multiprocessing Communication

- Open AMP-Overview
- Components in OpenAMP
- Connection between OpenAMP and Libmetal
- How to write a simple OpenAMP application
- CoProSync APIs

Exercise : Creating rpmsg channel between Cortex-M4 and Cortex-A7MP (Cortex-M4 side)

Analog modules

- Analog-to-Digital (ADC)
- Digital-to-Analog Converter (DAC)
- Digital filter for sigma delta modulators (DFSDM)
- Temperature sensor (TDS)

Exercise : ADC Single Conversion Trigger Timer DMA

Fifth Day

Watchdogs and Real-time clock (RTC)

- Independent Watchdogs (IWDG)
- Window Watchdog
- RTC
 - Overview
 - Functional Description
 - RTC low power-modes

Exercise : MCU WWDG reset

Exercise : RTC Alarm

Connectivity and communication

- SPI
- USART/UART
- I2C
- Serial audio interface & SPDIF receiver interface
- Management data input/output (MDIOS)
- Secure Digital input/output MultiMediaCard Interface
- FDCAN
- USB OTG
- USB HS PHY controller
- USB EHCI/USB_OHCI
- HDMI-CEC
- Ethernet

Exercise : How to handle I2C data buffer Tx/Rx between two boards via DMA

Debug Support

- Debug block diagram
- Debug power and clocking
- Security
- Chip Level TAP controller
- Serial wire and JTAG debug port (SWJ-DP)
- Access port
- Cortex-A7 debug
- Cortex-M4 debug

Renseignements pratiques

Durée : 5 jours

Prix : 3070 € HT