



STR16 - STM32L0

This course describe the STM32L0 architecture and practical examples

Objectives

- Understand the Cortex-M0+ core and the STM32L0 SoC.
- Configure RCC (MSI/HSI16/HSE/LSI/LSE), PLL, and prescalers correctly.
- Use GPIO/EXTI, timers/LPTIM, DMA, ADC/COMP, and serial buses.
- Apply ultra-low-power modes and measure consumption.
- Manage Flash, true Data EEPROM (on L0), Option Bytes, and watchdogs.
- (If present) bring up USB FS device and TSC capacitive touch.

Course Environment

- Theoretical course
 - PDF course material (in English) supplemented by a printed version for face-to-face courses.
 - Online courses are dispensed using the Teams video-conferencing system.
 - The trainer answers trainees' questions during the training and provide technical and pedagogical assistance.
- Practical activities
 - Practical activities represent from 40% to 50% of course duration.
 - Code examples, exercises and solutions
 - For remote trainings:
 - ▶ One Online Linux PC per trainee for the practical activities.
 - ▶ The trainer has access to trainees' Online PCs for technical and pedagogical assistance.
 - ▶ QEMU Emulated board or physical board connected to the online PC (depending on the course).
 - ▶ Some Labs may be completed between sessions and are checked by the trainer on the next session.
 - For face-to-face trainings:
 - ▶ One PC (Linux ou Windows) for the practical activities with, if appropriate, a target board.
 - ▶ One PC for two trainees when there are more than 6 trainees.
 - For onsite trainings:
 - ▶ An installation and test manual is provided to allow preinstallation of the needed software.
 - ▶ The trainer come with target boards if needed during the practical activities (and bring them back at the end of the course).
- Downloadable preconfigured virtual machine for post-course practical activities
- At the start of each session the trainer will interact with the trainees to ensure the course fits their expectations and correct if needed

Target Audience

- Any embedded systems engineer or technician with the above prerequisites.

Course Outline

Day 1

Cortex-M0+ overview (core)

- Core overview
- Programmer's model
- Exceptions, NVIC priorities.
- SysTick, SVC, PendSV basics.
- Faults on v6-M & HardFault.
- WFI/WFE sleep entry.
- SWD; optional SWO/ITM.

Exercise: Exception Management

SoC & memory map

- Lines (L0x1/L0x2/L0x3).
- Flash / SRAM / PPB map.
- Peripheral address zones.
- UID and Flash size regs.
- Option Bytes overview.

Exercise: Map & IDs

RCC - reset & clocks (ULP focus)

- MSI ranges (low-freq steps).
- HSI16 / HSE basics.
- PLLs (device-dep.).
- SYSCLK mux; AHB/APB divs.
- CCIPR.
- MCO output; CSS/HSECSS.

Exercise: Clock profiles

Power & voltage scaling

- Sleep / Low-power run.
- Low-power sleep / Stop.
- Standby / VBAT domain.
- Voltage scaling (Range x).
- PVD/BOR levels (OB).
- Fast wake-up notes.

Exercise: Mode sweep

GPIO / EXTI / SYSCFG

- PP/OD, pulls, speeds.
- AF mapping rules.
- EXTI lines & priorities.
- Debounce strategies.
- Safe I/O at reset.

Exercise: GPIO & EXTI

Timers & LPTIM

- PWM edge/center.
- Input capture basics.
- One-pulse mode.
- Encoder interface.
- LPTIM periodic wake.

Exercise: PWM + capture

Day 2

DMA

- Channels/requests map.
- Normal vs circular.
- HT/TC/TE IRQ flags.
- Throughput vs latency.

Exercise: UART RX ring

ADC & analog (COMP)

- 12-bit ADC basics.
- Sampling time, ranks.
- Timer-triggered ADC.
- DMA continuous/circular.
- Analog watchdog.
- COMP to EXTI/timers.

Exercise: ADC + DMA stream

RTC & tickless timing

- LSE vs LSI trade-offs.
- Calendar, alarm, wakeup.
- Backup registers (VBAT).
- Tickless via RTC/LPTIM.

Exercise: Tickless blink

USART / LPUART

- 8/9-bit, parity/stop.
- Oversampling 16/8.
- Blocking / IRQ / DMA.
- LPUART Stop-mode wake.
- Error recovery (ORE/FE).

Exercise: DMA UART

Exercise: LPUART wake from Stop

SPI

- CPOL/CPHA modes.
- Data sizes; NSS rules.
- Full-duplex DMA.
- Simplex options.
- Timing check (LA).

Exercise: SPI loopback DMA

I²C

- Sm/Fm/Fm+ speeds.
- 7/10-bit addressing.
- Analog/digital filters.
- Timeouts; bus-clear.
- Clock stretching.

Day 3

USB FS device (L0x2 variants)

- VBUS sense options.
- EP/FIFO sizing basics.
- CDC/DFU quick paths.
- Clocking constraints.
- Suspend/resume flow.

Exercise: CDC echo or DFU

TSC capacitive touch (variants)

- Channel groups/IOs.
- Acquisition timing.
- Threshold setting.
- Noise filtering tips.
- Simple slider/key.

Exercise: Touch key demo

Flash, Data EEPROM & OB

- Flash erase/program.
- True Data EEPROM use.
- Simple wear leveling.
- OB: RDP/PCROP/BOR.
- Read reset cause regs.

Boot, ROM & watchdogs

- ROM bootloader ports.
- DFU/UART/I²C options.
- Boot pins & OB links.
- IWDG vs WWDG basics.
- Reset cause logging.

Exercise: IWDG + DFU try

Production checklist (wrap-up)

- Clocking proven (MCO).
- I/O safe at boot/sleep.
- Low-power numbers noted.
- Comms error policy set.
- UID/serial/CRC scheme.

Exercise: Self-audit