



STR6 - STM32 F2-Series implementation

This course covers STM32F205, STM32F207, STM32F215, STM32F217 ARM-based MCU family

Objectives

- This course has 5 main objectives:
 - Describing the hardware implementation and highlighting the pitfalls
 - Describing the ARM Cortex-M3 core architecture
 - Becoming familiar with the IDE and low level programming
 - Describing the units which are interconnected to other modules, such as clocking, interrupt controller and DMA controller, because the boot program generally has to modify the setting of these units
 - Describing independent I/O modules and their drivers.
- Note that this course has been designed from the architecture of the most complex STM32 F2-series device, the STM32F217.
- Consequently, a chapter has been designed by Acsys for each possible integrated IP.
 - According to the actual reference chosen by the customer, some chapters may be removed.
- Products and services offered by ACSYS:
 - ACSYS is able to assist the customer by providing consultancies. Typical expertises are done during board bringup, hardware schematics review, software debugging, performance tuning.
 - ACSYS has also an expertise in FreeRTOS porting and uIP /LWIP stack or Interniche stack integration.

This document is necessary to tailor the course to specific customer needs and to define the exact schedule.

Prerequisites and related courses

- This course provides an overview of the ARM Cortex-M3 core. Our course reference [RM2 - Cortex-M3 implementation](#) course details the operation of this core.
- The following courses could be of interest:
 - USB Full Speed High Speed and USB On-The-Go, reference [IP2 - USB 2.0](#)course
 - Ethernet and switching, reference [N1 - Ethernet and switching](#)course
 - IEEE1588, reference [N2 - IEEE1588 - Precise Time Protocol](#)course
 - CAN bus, reference [IA1 - CAN bus](#)course
 - SD / MMC, reference [IS2 - eMMC 5.0](#)course

Course Environment

- Theoretical course
 - PDF course material (in English) supplemented by a printed version for face-to-face courses.
 - Online courses are dispensed using the Teams video-conferencing system.
 - The trainer answers trainees' questions during the training and provide technical and pedagogical assistance.
- At the start of each session the trainer will interact with the trainees to ensure the course fits their expectations and correct if needed

Target Audience

- Any embedded systems engineer or technician with the above prerequisites.

Course Outline

ARCHITECTURE OF STM32F2XX MCUs

- ARM core based architecture
- Description of STM32F20X and STM32F21X SoC architecture
- Clarifying the internal data and instruction paths: AHB-lite interconnect, peripheral buses, AHB-to-APB bridges
- Integrated memories
- SoC mapping

THE ARM CORTEX-M3 CORE

- V7-M core family
- Core architecture
- Programming
- Exception behavior, exception return
- Basic interrupt operation, micro-coded interrupt mechanism

BECOMING FAMILIAR WITH THE IDE

- Acsys covers 3 IDEs: Keil, IAR and GCC / Lauterbach
- Thus the customer has just to indicate which one he has chosen
- Getting started with the IDE
- Parameterizing the compiler / linker
- Creating a project from scratch
- C start program

PROGRAMMING AND DEBUGGING

- Debug interface
- Programming

RESET, POWER AND CLOCKING

- Power control
- Reset
- Clocking
- Low power modes

INTERNAL INTERCONNECT

- Bus matrix
- DMA

HARDWARE IMPLEMENTATION

- Power pins
- Pinout
- GPIO module
- System configuration controller
- External Interrupts

INTEGRATED MEMORIES

- Embedded flash memory

- Internal SRAM

MEMORY INTERFACE

- SDIO
- Flexible Static Memory Controller

TIMERS

- Advanced-control timers TIM1 and TIM8
- General-purpose timers (TIM2 to TIM5)
- General-purpose timers (TIM9 to TIM14)
- Basic timers (TIM6 and TIM7)
- Real Time Clock
- Independent Watchdog
- Window Watchdog

ANALOG MODULES

- 16-bit Analog-to-Digital Converter and Programmable Gain Amplifier
- 12-bit Digital-to-Analog Converter

SECURITY AND INTEGRITY

- CRC calculation unit
- Random Number Generation
- Hash processor
- Cryptographic processor
- Device Electronic Signature

CONNECTIVITY AND COMMUNICATION

- SPI
- SPI in I2S mode
- UART
- I2C
- bxCAN modules
- USB FS
- USB HS
- ISO7816 smartcard interface

USER INTERFACE

- Digital camera interface