



## IC8 - VPX and Open VPX

*This course covers the VPX and Open VPX VITA standards*

### Objectives

- Providing VMEbus-based systems with support for switched fabrics.
- Describing the new 7-row high speed connector rated up to 6.25 Gbit/s.
- Clarifying alignment and keying requirements.
- Supporting PMC,FMC (VITA 57) and XMC (VITA 42) mezzanines.
- Implementing Hybrid backplanes to accommodate VME64, VXS and VPX boards.
- The course also explains the interoperability improvements offered by the Open VPX standard through the implementation of predefined system topologies.
- This course has been delivered several times to companies developing defense and avionics equipments.

A more detailed course description is available on request at [training@ac6-training.com](mailto:training@ac6-training.com)

### Prerequisites and related courses

- Basic knowledge of high-speed serial interconnect is recommended, such as PCIe, SRIO or Gigabit/10G Ethernet.
- See our courses on PCI Express reference [IC4 - PCI Express 3.0](#) course, RapidIO reference [IC5 - RapidIO 3.0](#) course, Gigabit Ethernet, reference [N1 - Ethernet and switching](#) course and 10 Gigabit Ethernet, reference [N3 - Ethernet 10 Gigabit](#) course

### Course Environment

- Theoretical course
  - PDF course material (in English) supplemented by a printed version for face-to-face courses.
  - Online courses are dispensed using the Teams video-conferencing system.
  - The trainer answers trainees' questions during the training and provide technical and pedagogical assistance.
- At the start of each session the trainer will interact with the trainees to ensure the course fits their expectations and correct if needed

### Target Audience

- Any embedded systems engineer or technician with the above prerequisites.

## Course Outline

### VPX STANDARD

- Objectives of this standard
  - Limitations of shared bus system
  - Implementation of a switch fabric
  - Evolutionary roadmap for VME users
- Overview, definitions
- System signals
  - Power supply
  - System controller
- Board form factor
  - Connector pin definitions, P0 utility connector

- Alignment and keying
- Electrical budgets for protocol standards
- Power wafer current ratings
- Connector pin definitions, P1
- 3U modules, P2 connector, differential vs single-ended pinout
- 6U modules, P2-P6 connectors
- Backplane
  - Power delivery
  - Backplane fabric connections electrical requirements
  - System management signals connection
  - Hybrid backplane
  - Example: five slot fabric full mesh backplane routing

## **VME, SRIO, PCI EXPRESS AND ETHERNET ON VPX FABRIC CONNECTOR**

- VME bus signals mapping on VPX
  - SYSRESET management
  - P3-P6 connector pin mappings
- Serial RapidIO on VPX fabric connector
  - Assigning Serial RapidIO ports to the VPX P1/J1 connector
- PCI Express on VPX fabric connector
  - Reference clock
  - System reset
  - Assigning PCIe ports to the VPX P1/J1 connector
- Gigabit Ethernet control plane on VPX fabric connector
  - 1000BASE-BX or 1000BASE-KX interface on each of the Ultra-Thin Pipe ports
- Gigabit Ethernet on VPX fabric connector
  - Pipe definition, Ethernet Fat Pipe 10GBASE-KX4, 10GBASE-BX4, Ultra Thin Pipe 1000BASE-KX, 1000BASE-BX

## **PMC/XMC REAR I/O FABRIC SIGNAL MAPPING ON 3U AND 6U VPX MODULES STANDARD**

- Mezzanine card Rear I/O pattern maps
- Mezzanine Type label
- 3U vita 46.0 connector pin mapping
- 6U vita 46.0 connector pin mapping
- Electrical specifications

## **REAR TRANSITION MODULE**

- General arrangement of front and rear modules
- Alignment keying sockets
- Current and power per RTM slot
- Connector pin definitions RP0

## **OPEN VPX**

- Bringing versatile system architectural solutions to the VPX market
- Description of a series of standard profiles
- System Interoperability Diagram with interface content
- Profiles definition
- Backplane profile topologies: centralized, distributed, hybrid
- Mechanical requirements
- Slot profile
- Backplane profile
- Module profile
- Standard development chassis profile