



FCQ11 - P102X QorIQ implementation

This course covers NXP QorIQ P1020/P1011, P1021/P1012, P1022/P1013, P1023/P1017, P1024/P1015, P1025/P1016

Objectives

- The course clarifies the architecture of the P102X, particularly the operation of the coherency module that interconnects the e500s to memory and high-speed interfaces.
- Cache coherency protocol is introduced in increasing depth.
- The e500 core is viewed in detail, especially the SPE unit that enable vector processing.
- The boot sequence and the clocking are explained.
- The course focuses on the hardware implementation of the P102X.
- A long introduction to DDR SDRAM operation is done before studying the DDR2/3 SDRAM controller.
- An in-depth description of the PCI-Express port is done.
- The course highlights both hardware and software implementation of gigabit / fast / Ethernet controllers.
- Communication interfaces are explained according to the exact reference of the SoC: either TDM or QuiccEngine or DPAA.

- AC6 has developed an optimized SPE based FFT coded in assembler language.
- Performance for 1024 complex floating point single precision samples is:
 - - 91_386 core clock cycles without reverse ordering, 94_124 with reverse ordering
- Performance for 4096 complex floating point single precision samples is:
 - - 470_778 core clock cycles without reverse ordering, 511_227 with reverse ordering
- For any information contact training@ac6-training.com

A more detailed course description is available on request at training@ac6-training.com

Prerequisites and related courses

- Experience of a 32-bit processor or DSP is mandatory.
- The following courses could be of interest:
 - Ethernet and switching, reference cours [N1 - Ethernet and switching](#)
 - IEEE1588, reference cours [N2 - IEEE1588 - Precise Time Protocol](#)
 - PCI express gen2, reference cours [IC4 - PCI Express 3.0](#)
 - USB Full Speed High Speed and USB On-The-Go, reference cours [IP2 - USB 2.0](#)
 - SD / MMC, reference cours [IS2 - eMMC 5.0](#)

Environnement du cours

- Cours théorique
 - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
 - Cours dispensé via le système de visioconférence Teams (si à distance)
 - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

Plan du cours

INTRODUCTION TO P102X

SOC ARCHITECTURE

- Internal data flows, OCEAN switch fabric, packet reordering
- Implementation examples
- Address map, ATMU, OCEAN configuration
- Local vs external address spaces, inbound and outbound address decoding

e500 CORES

THE INSTRUCTION PIPELINE

- Dual-issue superscalar operation
- Execution units
- Dynamic branch prediction

DATA AND INSTRUCTION PATHS

- The Core Complex Bus
- Store miss merging and store gathering
- Memory access ordering
- Lock acquisition and import barriers

THE MEMORY MANAGEMENT UNIT

- The first level MMU and the second level MMU, consistency between L1 and L2 TLBs
- TLB software reload
- Process protection
- 36-bit real addressing

CACHES

- The L1 caches
- Software cache coherency
- Level 2 cache
- Allocation of data transferred by external masters into the cache: stashing
- e500 coherency module
- Snooping mechanism
- Stashing mechanism
- L2 cache locking

PROGRAMMING

- Differences between the new Book E architecture and the classic PowerPC architecture
- Floating Point units, Double-Precision FP
- Signal Processing APU (SPE)

EXCEPTIONS

- Book E exception handling
- Syndrome registers

- Core timers

DEBUGGING

- Performance monitoring
- JTAG emulation
- Watchpoint logic

INFRASTRUCTURE

RESET, CLOCKING AND INITIALIZATION

- Platform clock
- Voltage configuration selection
- Power-on reset sequence, using the I2C interface to access serial ROM
- Power management
- eSDHC boot
- eSPI boot ROM

e500 COHERENCY MODULE

- I/O arbiter
- CCB arbiter
- CCB interface

DDR3 SDRAM MEMORY CONTROLLER

- On-Die termination
- Calibration mechanism
- Mode registers initialization, bank selection and precharge
- Command truth table
- Hardware interface
- Bank activation, read, write and precharge timing diagrams, page mode
- ECC error correction
- Initialization routine

ENHANCED LOCAL BUS CONTROLLER

- Multiplexed or non-multiplexed address and data buses
- Dynamic bus sizing
- GPCM, UPMs states machines
- NAND flash controller

PCI EXPRESS INTERFACE

- 4-lane PCI Express interface
- Modes of operation, Root Complex / Endpoint
- Transaction ordering rules
- Programming inbound and outbound ATMUs

PROGRAMMABLE INTERRUPT CONTROLLER

- PIC in multiple-processor implementation
- Understanding interrupt masking
- Interprocessor interrupts
- Per-CPU register usage, message registers
- Nesting implementation

INTEGRATED DMA CONTROLLER

- Support for cascading descriptor chains
- Scatter / gathering
- Selectable hardware enforced coherency

PERFORMANCE MONITOR AND DEBUG FEATURES

- Threshold events
- Chaining, triggering
- Watchpoint facility
- Trace buffer

INPUTS/OUTPUTS

THE ETHERNET CONTROLLERS

- Address recognition, pattern matching
- Buffer descriptors management
- Physical interfaces
- Buffer descriptor management
- 256-entry hash table for unicast and multicast
- Management of VLAN tags and priority, VLAN insertion and deletion
- Quality of service, managing several transmit and receive queues
- TCP/IP offload engine, filter programming
- IEEE1588 compliant time-stamping

ENHANCED SECURE DEVICE HOST CONTROLLER

- Storing and executing commands targeting the external card
- Multi-block transfers
- Moving data by using the dedicated DMA controller
- Dividing large data transfers

USB CONTROLLER

- EHCI implementation
- Periodic Frame List
- ULPI interfaces to the transceiver
- OTG support
- Endpoints configuration

SECURITY ENGINE

- Crypto channels
- Sequence to subcontract a crypto job to SEC
- Link tables
- Managing interrupts

LOW SPEED PERIPHERALS

- Description of the NS16552 compliant Uarts
- I2C controller
- Enhanced SPI controller

TDM INTERFACE (P1022/P1013 AND P1024/P1015)

- Serial interface
- Network mode of operation with up to 128 time-slots
- DMA configuration
- End-of-frame interrupt
- Configuring the TDM for I2S Operation

DISPLAY INTERFACE UNIT (P1022/P1013)

- Display interfaces
- Display color depth
- Pixel structure, alpha-blending
- Utilization of area descriptor
- Moving images through the dedicated DMA channel

QUICC ENGINE (P1021/P1012 AND P1025/P1016)

OVERVIEW OF QUICC ENGINE

- Integrated RISC CPU
- Communication between Host CPU and QE RISC CPU

INTEGRATED INTERRUPT CONTROLLER

- Priority management
- Steering the interrupt source to either Low priority or High priority input of the platform PIC

SYSTEM INTERFACE AND CONNECTION TO EXTERNAL COMMUNICATION PORTS

- Serial DMA
- QUICC engine external requests
- NMSI vs TDM
- Enabling connections to TSA or NMSI

BUFFER MANAGEMENT

- Utilization of Buffer Descriptors
- Chaining descriptors into rings
- Parameter RAM independent of protocol

UNIFIED COMMUNICATION CONTROLLERS

- UCC as slow communications controllers, UART mode
- UCC for fast protocols, virtual FIFOs

UCC HDLC CONTROLLER

- Flow control
- Setting global parameters
- Describing the parameter RAM

UCC TRANSPARENT CONTROLLER

- Transparent data encapsulation, frame sync and frame CRC
- Describing the parameter RAM

SERIAL INTERFACE

- Connecting TDM lines
- Parameterizing the timings related to Rx/Tx clock, sync and data signals
- Connecting the TDM line to UCC using Rx/Tx routing tables

MULTI-CHANNEL CONTROLLER ON UCC - UMCC

- Comparison with MCC and QMC
- Connecting time-slots to logical channels through Rx/Tx routing tables
- Implementing Rx/Tx channel buffers
- Interrupt management
- Channel-specific HDLC parameters
- Per channel exception management
- UMCC host commands

DATAPATH PROCESSING SUBSYSTEM (P1023/P1017)

DPAA OVERVIEW

- Definitions: buffer, buffer pool, frame, frame queue, work queue, channel
- Data formats
- Frame formats
- Packet walk through

QUEUE MANAGER

- Objectives if this accelerator
- Frame description
- Structure of frame queues
- Frame queue state machine
- Multiway resource arbiter
- Work queues and channels
- Enqueue and dequeue portals
- Class and intra-class scheduling rules
- Dequeue dispatcher operation
- Message ring
- Stash transaction flow control and scheduling
- Congestion avoidance
- CoreNet initiator scheduling and priority

BUFFER MANAGER

- Objectives if this accelerator
- Software portals
- Direct connect portals
- Software interface, Command register, Management Response registers
- Buffer Pool State Change Notifications
- Buffer pool size programming
- Performance Monitor

FRAME MANAGER

- Objectives if this accelerator, parsing, classifying and distributing in-line/off-line packet
- FMAN submodules
- Rx BMI features

- Tx BMI features
- Offline parsing, host command features
- Frame processing manager
- FMan controller
- Parser
- Key generator
- Policer

DATA PATH THREE-SPEED ETHERNET CONTROLLERS

- MAC address recognition
- 256-entry hash table for unicast and multicast
- Suspending the transmitter, handling pause packets
- RMON statistic counters, carry registers
- Client IEEE1588 timers

SECURITY ENGINE

- Job management using QMan interface
- Input / output rings
- Job descriptor parsing
- Sharing descriptors
- Selecting the authentication / cryptographic algorithm
- Public Key Hardware Accelerator (PKHA)
- SNOW 3G Accelerator
- Example, implementing IPSec