

## IC4 - PCI Express 3.0

**This course covers PCI Express gen3 as well as gen1 and gen2**

### Objectives

- Packet switching benefits compared to shared buses are highlighted.
- The course explains the various traffic types that PCI Express supports.
- The use of virtual channels to match Quality of Service requirements is explained.
- The course describes the discovery sequence required to initialize the switches.
- The course details the various stages of the physical layer: 8b10b coding, scrambling, elastic buffer, clock recovery and link training sequence.
- The new features of the revision 2.0 and revision 3.0 are described, especially the sequence used to change either the speed or the link width.
- The course explains the new coding scheme used in PCIe 3.0.
- Event report to the host CPU through legacy interrupts, MSI or MSI-X is studied.
- Note that the course can be adapted to only cover PCIe 1.1 or PCIe 2.0.
- A lot of trainings have been developed on particular PCIe implementations, see our courses on FPGAs and SoCs.

*A more detailed course description is available on request at [training@ac6-training.com](mailto:training@ac6-training.com)*

### Prerequisites

- Knowledge of PCI / PCI-X is recommended.
- See our courses PCI, reference cours [IC1 - PCI 3.0](#) and PCI-X, reference cours [IC3 - PCI-X 2.0](#)

### Environnement du cours

- Cours théorique
  - Support de cours au format PDF (en anglais) et une version imprimée lors des sessions en présentiel
  - Cours dispensé via le système de visioconférence Teams (si à distance)
  - Le formateur répond aux questions des stagiaires en direct pendant la formation et fournit une assistance technique et pédagogique
- Au début de chaque demi-journée une période est réservée à une interaction avec les stagiaires pour s'assurer que le cours répond à leurs attentes et l'adapter si nécessaire

### Audience visée

- Tout ingénieur ou technicien en systèmes embarqués possédant les prérequis ci-dessus.

### Modalités d'évaluation

- Les prérequis indiqués ci-dessus sont évalués avant la formation par l'encadrement technique du stagiaire dans son entreprise, ou par le stagiaire lui-même dans le cas exceptionnel d'un stagiaire individuel.
- Les progrès des stagiaires sont évalués par des quizz proposés en fin des sections pour vérifier que les stagiaires ont assimilé les points présentés
- En fin de formation, une attestation et un certificat attestant que le stagiaire a suivi le cours avec succès.
  - En cas de problème dû à un manque de prérequis de la part du stagiaire, constaté lors de la formation, une formation différente ou complémentaire lui est proposée, en général pour conforter ses prérequis, en accord avec son responsable en entreprise le cas échéant.

## Plan

### THE TRANSITION TO PACKET SWITCHING

- PCI bus limitations
- The hub link bus
- PCI-X
- Solutions to increase the performance : differential transmission, packet switching

### INTRODUCTION TO PCI EXPRESS

- Topology
- Data Link Control and Management State Machine
- Transaction traffic types
- Quality of Service
- The physical layer
- Configuration space
- Switch logical view

### THE PHYSICAL LAYER - LOGICAL SUB-BLOCK

- Overview of the Physical layer, highlighting the various units present in transmitter and receiver
  - Byte dispatching rules for multi-lane links
  - Purpose of scrambling
  - Elastic buffer operation
  - De-skew
- 8-bit / 10-bit coding (2.5 Gbps and 5.0 Gbps)
  - Data Byte encoding
  - Control symbol utilization
  - DC-balance through running disparity
- 128-bit / 130-bit coding (8.0 Gbps)
  - Block alignment, utilization of EIEOS
  - Clarifying how DC-balance is obtained
  - Framing tokens
  - Link equalization procedure
- Link Training and Status State Machine [LTSSM]
  - Reset signalling
  - Lane reversal, polarity inversion
  - Detect state
  - Polling state
  - Configuration state
  - Recovery state
  - L0, L0s, L1 and L2 states
  - Disabled, Loopback and Hot Reset states
  - Testing the transmitter
  - Compliance load board usage
  - Testing the receiver

### THE PHYSICAL LAYER - ELECTRICAL SUB-BLOCK

- Interoperability criteria for 2.5, 5.0 and 8.0 Gbps
- Jitter budgeting and measurement
- Separate refclk architecture
- Transmitter specification, phase jitter filtering
  - 5.0 Gbps transmitter margining
  - Measurement setup for characterizing transmitters
  - De-emphasis
  - Rise and Fall times

- PLL bandwidth and peaking
- 8.0 Gbps transmitter equalization coefficient range and tolerance
- Receiver specification
  - Calibration channel characteristics
  - Return loss
  - Receiver compliance eye diagram
  - 8.0 Gbps post-processing procedure
  - Behavioural Rx equalization algorithms (CTLE, DFE)
- Skew
- Receiver detect
- Low power modes, Beacon signal

## **POWER MANAGEMENT**

- Link state power management
- Native PCI Express power management mechanisms
- Relationship between function state and link state
- Power budgeting capability
- Slot power limit control
- Dynamic Power Allocation

## **PACKET ROUTING**

- Operation of PCI-to-PCI transparent bridge
- Packet routing by the address
- Packet routing by the ID
- Packet routed implicitly
- Access Control Services
- Alternative Routing ID
- Multicast addressing

## **TLP ACKNOWLEDGEMENT**

- Counters / timers present in the transmitter and the receiver
- Explaining the acknowledge protocol through sequences
- Sizing
- Cut-through switches

## **QUALITY OF SERVICE**

- Introduction, traffic differentiation
- VC arbitration
- Port arbitration, switch model

## **FLOW CONTROL**

- Overview, transmit credit principle
- Initialization, advertising infinite credits
- Credit update frequency
- Flow Control Packet
- Optimized Buffer Flush / Fill message
- Explaining the flow control protocol through sequences

## **TRANSACTION ORDERING**

- PCI Producer / Consumer model
- Relaxed ordering permitted by PCI-X
- PCI Express transaction ordering rules
- Highlighting these rules through examples

## **PIPE INTERFACE**

- Interface clocking and reset
- PHY-LINK interface signals
- Elasticity buffer mode
- Rx polarity
- Selecting transmitter voltage levels
- Rx status codes
- Low power states

## **PACKET FORMAT**

- TLP format
- Poisoning a TLP, error forwarding
- Rules regarding read completions boundary
- TLP prefix usage
- TLP digest rules
- Processing hints

## **INTERRUPT MANAGEMENT**

- PCI interrupt management
- Transporting legacy interrupts through PCIe messages
- Message Signaled Interrupts
- Benefits of MSI-X

## **ERROR MANAGEMENT**

- PCI-like error management
- PCI Express basic error management
- PCI Express basic advanced error management
- Using completion status field to report an error

## **HOT PLUG**

- Accessing a device through a slot
- Card attachement sequence
- Hot-plug events

## **THE CONFIGURATION SPACE**

- Root Complex event collector
- PCI Express enumeration
- New features of PCIe 2.0 and PCIe 3.0:
  - PCI Express Enhanced Configuration Access Mechanism
  - Device serial number capability
  - Root Complex link declaration capability
  - Root Complex internal link control capability
  - ACS extended capability
  - Multicast extended capability

## **TESTING A PCI EXPRESS SYSTEM**

- Compliance lists
- PHY layer tests, explaining the utilization of test fixtures CLB and CBB to test add-in Clarifying calibration procedures
- Link layer and Transaction layer tests
- Configuration space test
- BIOS test
- Protocol analyser / exercicer from Lecroy
- Trace analysis

## Renseignements pratiques

**Renseignements : 4 jours**